1 Le Fram 2
Name: Key - white Exam 2
. caract Answer
A 60-day calf fetus is about the size of a
a. Dog b. Bobca <sup>t</sup>
(c) Mouse
<ul> <li>d. Mature snapping turtle</li> <li>2. Ivomec injectable dewormer has a withdrawal time of</li> </ul>
2. Ivomec injectable dewormer has a without
a. 0 days
b. 21 days
c. 35 days
<ul><li>d. 60 days</li><li>3. A drug or chemical that is used to kill or expel worms in beef cattle is called a</li></ul>
· · · · · · · · · · · · · · · · · · ·
a. Anthelmintic
b. Antiseptic
c. Vaccination
<ul><li>d. Active ingredient</li><li>4. The typical bull to cow ratio in most mature breeding programs is</li></ul>
a. 1 to 10 b. 1 to 35
c. 1 to 50
(I) 1 to 25
5. Which of the following is a benefit of cross breeding?
a. Breed color
b. Heterosis
c. Complementarity
d. Both A & C
e. Both B & C
6. Bos indicus cattle have a characteristic that can be of varying sizes, but is an
identifying trait of these breeds.
a. Color
(b) Hump
c. Tail
d. Eye color

Kell

## True/False - Circle the Correct Answer

7. Salmonella is a classification of viral agents that includes more than 2000 strains.				
a. True				
<ul><li>b. False</li><li>8. Dried distillers grains are used only as a protein source in cattle rations.</li></ul>				
8. Dried distillers grains are used only as a partial state of the sta				
a. True				
<ul><li>b. False</li><li>Treatment for horn flies is economically justified when the numbers of horn flies is greater than</li></ul>				
25 per cow.				
a. True				
<ul><li>(b) False</li><li>10. Dewormers are utilized to provide control of both intestinal worms and coccidia.</li></ul>				
10. Dewormers are utilized to provide control of sour mesos				
a. True				
b.) False				
11. Red nose is a disease more commonly referred to as Brucellosis.				
a. True				
b. False				
(b.) False  12. "Percent Calf Crop" is the number of calves weaned divided by the number of cows exposed.				
a. True				
b. False				
13. Trichomoniasis is a viral disease that can be present in both the bull and cow.				
a. True				
b. False				
14. Vibriosis is a bacterial disease spread by heifers.				
a. True				
(b). False				
Circle the Correct Answer				
Circle the Correct Allswei				
15. Which of the breeds below is not considered a Bos Indicus breed?				
(a.) Saler				
c. Braler				
d. Brangus				
e. Beefmaster				
f. None of the above				
16 is the additive genetic potential realized when crossing a Hereford				
cow with a Brahman bull.				
a. Maximum gain				
(b) Hybrid vigor				
c. Maternal strength				
d. Carcass flexibility				

17. "Criteria for Intervention" in the calving process especially for heifers include		
	a.	Water bag out for 15 minutes and no visible sign of a calf
	b.	Seeing the nose and front legs of the calf protruding from the birth canal
	c.	Cervical plug being released from the animal
	(d.)	Only one leg showing
18.	Whi	ch of the following breeds of cattle are not of British origin?
	a.	Angus
	b.	Maine Anjou
	c.	Simmental
	d.	Shorthorn
	e.	Both A & D
	<b>(f.)</b>	Both B & C
19.		is the recommended substance used for disinfecting syringes after
	vacc	inations and prior to storage.
	a.	Soap & water
	<b>6</b> .	Boiling water
	c.	Alcohol
	d.	Nolvasan
20.	BQA	is an abbreviation for
	a.	Beef Quality Attributes
	b.	Beef Quality Applications
	c.	Beef Quantity Assessments
	<b>d</b> .	Beef Quality Assurance
21.	Non-	-virgin bulls for sale must be tested by a licensed veterinarian by law for
	prior	r to sale.
	a.	Brucellosis
	b.	Infectious bovine rhinotracheitis
	c.	Vibriosis
	<b>(a)</b>	Trichomoniasis
22.		is not included in a Breeding Soundness Exam.
	a.	Scrotal circumference measurement
	b.	Internal palpation of accessory sex organs
	c.	Visual assessment of eyes, teeth, feet, legs and external genitalia
	d.	Electro ejaculation for semen sample collection and sperm evaluation
	(e)	Disposition rating of the bull
23.		mental bulls with a scrotal circumference of at 15-20 months of age are considered
	Goo	
	a.	28 to 30 cm
	b.	30 to 32 cm
	c.	30 to 34 cm
	(d.)	31 to 36 cm

Key

24. In th	e US beef grading system, is used to estimate meat palatability.
a.	Yield Grade
b.	Ribeye area and KPH
(c.)	Quality grade
d.	Backfat
25. The	progeny of the mating of a purebred (straight-bred) bull to a purebred female of another
bree	d is referred to as a
a.	Crossbred
(b.)	F1
c.	F2
d.	Purebred
26. If th	ne Choice/Select spread is \$30 per hundredweight, then an 800 lb. Choice carcass is worth dollars more than the same size Select carcass.
a.	\$24
b.	\$180
C.	\$200
(d.)	\$240
27. The	minimum marbling score necessary for a beef carcass to be graded as US Prime is
<del> </del>	· · · · · · · · · · · · · · · · · · ·
a.	Modest
b.	Moderate
(c.)	Slightly abundant
d.	Abundant